


INDEX MAPS.

T. 4 N R. 3 W 2nd Mer.



T. 5 N R. 3 W 2nd Mer.

	295-298	296-298	296-298	296-297	296-297	297
300	6 319	5 319	4 316	312 315	3 311	308 308
300	7 320	8 319	9 315	10 311	11 307	303 303
299	18 320	17 317	16 314	15 310	14 306	13 302
299	19 321	20 317	21 314	22 310	23 306	24 302
299	30 321	29 317	28 313	27 309	26 305	25 301
298	31 321	32 316	33 312	34 308	35 304	36 300
	291-293	291-293	291-293	291-292	291-292	292

(*) The figures on the lines refer to the page.

Township N.^o. 5 North of Range N.^o. 3 West 9th Mer. (Sud.)
ch. ch.

South Boundary

I 44.

- East On a Random line with South Boundary of sec. 31 T. N.^o.
5 M.R. N.^o. 377.
40.00 Set a temp. post for the cor. to 1/4 sec.
80.00 " " " " " " & sec. 31 & 32.
Tando hilly and bushy timber oak, & birch

- East On a Random line south South Bound. of sec. 32
T. N.^o. 5 M.R. N.^o. 377.
40.00 Set a temp. post for the cor. of 1/4 sec.
80.00 " " " " " " of sec. 32 & 33.
Tando same as last mile.

- East On a Random line on the South Bound. of sec. 33.
T. N.^o. 5 M.R. N.^o. 377.
40.00 Set a temp. post for the cor. to 1/4 sec.
80.00 Set " " " " " " sec. 33 & 34
Tando hilly, timber oak, & birch

- East On a Random line North South Bound. of sec. 34
T. N.^o. 5 M.R. N.^o. 377.
21.50 To a Brook 25 links mde, come South.
40.00 Set a temp. post at the corner of 1/4 sec.
55.00 To a Brook 10 links mde, come S.Y.
80.00 Set a temp. post for the cor. to sec. 34 & 35.
Tando same as last mile.

- East On a Random line South South Bound. of sec. 35
T. N.^o. 5 M.R. N.^o. 377.
40.00 Set a temp. post for the cor. to 1/4 sec.
80.00 " " " " " " sec. 35 & 36
Tando same as last mile.

S. N. 5 M.R. N. 3 W. 2nd Mer. Sec.

East On a Random line on the South Boundary of sec. 36
I.N. 5 M.R. N. 3 N.

- 8.69 To a Brook 10 rods wide, comes South
40.00 Set a trap post for the cor. to $\frac{1}{4}$ sec.
70.00 To a Brook 150 rods wide, comes South.
85.69 Intercept the N & S Range line south of the cor. to
Twp 5.5 & 4.4 R.S. 213 N.
Tando rolling Juniper Poplar Oak & Hick.

West On the true line on the South Boundary of sec. 36.
I.N. 5 M.R. N. 3 N.

- 40.00 Set the trap post on the true line for the cor. to $\frac{1}{4}$ sec.
No bearings
80.00 Set the trap post on the true line for the cor. of sec. 35 &
36 from which a
Buck 20 in. neck bears S56 E. 21 rods west; and a
Deer 8 " " " N33 E. 17 " "

West On the South Boundary of sec. 35. On the true line
I.N. 5 M.R. N. 3 N.

- 40.00 Set the trap post on the true line for the cor. of $\frac{1}{4}$ sec. from
which a W. Oak 20 in. neck bears N31 N. 53 rods west
and a W. Oak 40 " " N77 N. 42 " "
80.00 Set the trap post on the true line for the cor. of sec. 34 &
35 from which a
Dogwood 10 in. neck bears S19 N. 19 rods west; and a
Buck 8 " " " N85 N. 23 " "

West On the true line on the South Boundary of sec. 34. I.N.
5 M.R. N. 3 N.

- 40.00 Set the trap post on the true line for the cor. to $\frac{1}{4}$ sec.
from which a W. Oak 12 in. neck bears S79 N. 19 rods west
and an Ashwood 6 " " S45 E. 13 " "

C. N. 5 S. R. N. 3 W. 2nd Mer. Ind.

80.00 Set apart for the cor. of sec. 33 & 34 on the town line from which a Balsam 5 in. dia. bears S 8 E. 6 lvs dark made w. Beech 10 " " A 1177. 15 " "

West On the town line On the South Boundary of sec. 33 T. N. 5 R. N. 3 W.

40.00 Set the temporary post on the town line for the cor. to 74 sec. from which a Beech 7 in. dia. bears N 74 W. 18 lvs dark made w. 110. 12 " " A 277. 31 " "

80.00 Set the temporary post on the town line for the cor. of sec. 33 & 33 from which a Beech 9 in. dia. bears S 37 W. 32 lvs dark, and on Elm 7 " " A 397. 24 " "

West On the town line On the South Boundary of sec. 33 T. N. 5 R. N. 3 W.

40.00 Set the temporary post on the town line for the cor. of 74 sec. from which a
B. Oak 12 in. dia. bears S 15 W. 30 lvs dark, 10 W. Oak 24 " " S 44 E. 36 " "

80.00 Set the temporary post on the town line for the cor. of sec. 31 & 32 from which a
B. Oak 8 in. dia. bears A 83 E. 18 lvs dark, 10 W. Do. 8 " " A 6077. 25 " "

West On the town line on the South Boundary of sec. 31 T. N. 5 R. N. 3 W.

40.00 Set the temporary post on the town line for the cor. to 74 sec. from which a B. Oak 21 in. dia. bears A 65 W. 4 lvs dark made w. W. Oak 10 " " A 8277. 18 " "

85.69 To the cor. of S. 5. 5. & 4. 4 R. 38477.

T. N. 5 T.R. N. 3 T. 2nd Mer. Ind.

East Boundary.

a 4

North	Onth East Boundary of sec. 36. T. N. 5 T.R. N. 3 T.
12.00	To a Beech 12 in. dia. in the line
40.00	Set a post for the cor. of $\frac{1}{4}$ ac. from which a Beech 10 in. dia. bears S 67 E. 18 links west; and so on 10. " " N 63 T. 12. "
65.00	To a Brook 100 links west, Game S.
80.00	Set a post for the cor. of sec. 25 & 36 from which a Beech 6 in. dia. bears S 21 T. 6 links west; and so Sugar. 10. " " N 78 E. 19. "
	Sands hilly, limited Sugar Bush, and Poplar.

North	Onth East Boundary of sec. 25. T. N. 5 T.R. N. 3 T.
21.00	To a Gum 20 in. dia. in the line
40.00	Set a post for the cor. of $\frac{1}{4}$ ac. from which a Beech 13 in. dia. bears S 21 T. 8 links west; and so on 10. " " N 79 E. 16. "
80.00	Set a post for the cor. of sec. 24 & 25 from which a Beech 10 in. dia. bears S 57 E. 9 links west; and so on 12. " " N 50 T. 21. "
	Sands same as in the last mile.

North	Onth East Boundary of sec. 24. T. N. 5 T.R. N. 3 T.
12.00	To a Beech 10 in. dia. stands in the line.
40.00	Set a post for the cor. of $\frac{1}{4}$ ac. from which a W. Oak 13 in. dia. bears S 88 T. 15 links west; and so a Beech 10. " " S 20 T. 33. "
72.50	To a Beech 18 in. dia. in the line.
80.00	Set a post for the cor. of sec. 13 & 24 from which a Beech 12 in. dia. bears South 6 links west and so Walnut 10. " " N 68 E. 16. "
	Sands same as the last mile.

3.

S. N.^o 5 T.R. N.^o 3 W. 2nd Mer. Ind.

North	On the East Boundary of sec. 13. S. N. ^o 5 T.R. N. ^o 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a W. Oak 12 m. dist. bears S12 E. 20 links west; to Poplar 18 " " S81 ⁷ . 14. "
57.07	To a N. Oak 12 m. dist. in the line.
80.00	Set a post for the cor. of sec. 12 & 13 from which a Poplar 12 m. dist. bears S14 E. 37 links west; and a Sugar 10 " " S16 E. 18 " " Same thin & Keilly Timber Oak, & Hickory.

North	On the East Boundary of sec. 12 S. N. ^o 5 T.R. N. ^o 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which an Amur oak 4 m. dist. bears S57 ⁷ . 10 links west; to Llo. 4 " " S81 ⁸ . 10 "
41.50	To a Brook 5 links west, come East
80.00	Set a post for the cor. of sec. 12 & 13 from which a W. Oak 12 m. dist. bears S48 ⁷ . 7 links west; and a Llo. 10 " " S44 ³ E. 21 " " Same east and timber same as last mile.

North	On the East Boundary sec. 1. S. N. ^o 5 T.R. N. ^o 3 W.
14.00	To a N. Oak 10 m. dist. in the line.
40.00	Set a post for the cor. to 1/4 sec. from which a W. Oak 20 m. dist. bears S22 E. 28 links west & to Buck 12 " " S81 ⁷ . 28 "
80.00	Set a post for cor. cor. of Town 5. 5 & G. N. ^o 2 & 3 W. from which a Sugar 12 m. dist. bears S26 ⁷ . 35 links west and a Barn 10 " " S88 E. 35 " " Same from as the last mile.

North Boundaries.

I. 7

East	On a random line with South Boundary of sec. 31. S. N. ^o 6 T.R. N. ^o 3 W.
------	--

296

P. N° 5 M.R. N° 3. W. 2nd, Mar. 1911.

- 21.77 To a Brook 10 miles west, Emma S.
40.00 Set a trap set for the con. of 14 sec.
71.50 To a Brook 12 miles west, Emma S.W.
80.00 Set a trap set for the con. of sec. 031.032.
Land hilly

- | | |
|-------|---|
| East | Oak & Random live on the South Boundary of sec. 32.
S. R. #6 N. R. N. #377. |
| 40.00 | Set a trappt. post for the cor. to 34 sec. |
| 47.00 | To a Brook 10 miles west, Course S. W. |
| 80.00 | Set a trappt. post for the cor. to sec. 32 & 33.
Some hilly timber Oak & Hickory |

- East On a random line on the South Boundary of sec. 33.
 S. N. ° 8 M. N. R. 3 T.
 40.00 Set a tempt. post at the corner of sec.
 79.50 To a Brook 12 miles wide, corner S.E.
 80.00 Set a tempt. post for the cor. of sec. 33.034.
 Lands seems as last mile

- | | |
|-------|---|
| East | Quakandam line Cutto South Penn N.Y. of ex. 35
S. N.Y.C. & R. No. 377. |
| 35.50 | Trak Brook 10 links mile, Leavenworth. |
| 40.00 | Set a trumpet post for the cor. to 1/4 sec. |
| 80.00 | Set " " " " " " for 35036
Sand fence at last mile. |

P. N. 5 N. R. P. 3 N. 2nd Mer. Ind.

East	On a Random line on the South Boundary of sec. 36. T. N. 6. R. R. N. 3 T.
40.00	Set a temporary post on the cor. of 1/4 sec. to a Natural Corner North.
81.78	To the cor. of Town 5. 5 + 6. 6. T. R. 913 T. Same place as last mile.

West	On the tree line, on the South Boundary of sec. 36. T. R. 6. N. R. N. 3 T. V. T. 15
40.00	Set the temporary post with the tree line on the cor. to 1/4 sec. from which on Hemlock 8 in. db. bears 83° 9' N. 21 degrees west; and a Dogwood 8, " " \$29 N. 19 1/2 degrees west.
80.00	Set the temporary post on the tree line for the cor. of sec. 35 & 36. from which a Poplar 7 in. db. bears N 60° E. 24 1/2 degrees west; and a Sugar 10, " " \$33 N. 28, " west

West	On the tree line on the South Boundary of sec. 35. T. R. 6. N. R. N. 3 T.
40.00	Set the temporary post on the tree line for the cor. of 1/4 sec. from which a W. Oak 13 in. db. bears East 33 1/2 degrees and a Sycamore 8, " " —
80.00	Set the temporary post at the cor. of sub. 34 & 35 on tree line from which a W. Oak 13 in. db. bears N 45° E. 17 1/2 degrees west and a Hickory 8, " " West — .

West	On the tree line on the South Boundary of sec. 34. T. R. 6. N. R. N. 3 T.
40.00	Set a post temporary on the tree line for the cor. to 1/4 sec. from which a W. Oak 10 in. db. bears S 68° E. 14 degrees west, and a Dogwood 6, " " \$35 N. 18, "
80.00	Set a post for the cor. of sub. 33 & 34 on the tree line from which a W. Oak — in. db. bears S 84° E. 26 degrees west; and a H. — " " \$16 N. 5, "

S. N.^o. 5 N.R. N.^o. 3 W. 2nd Mer. Ind.

West	On the tree line On the South Boundary of sec. 33. S. N. ^o . 6. N.R. N. ^o . 3 N.
40.00	Set the traps post on the tree line for the cor. of 1/4 sec. from which a Gum 12 in dia. bears S67 E. 34 miles dist, and w Dogwoods 6, " " S107 N. 5 " "
80.00	Set the traps post on the tree line for the cor. of sec. 32 & 33. from which a W. Oak - in dia. bears S75 E. 31 miles dist; to and w Lo. 12, " " S36 N. 6, "

West	On the tree line On the South Boundary of sec. 32. S. N. ^o . 6. N.R. N. ^o . 3 N.
40.00	Set the traps post on the tree line for the cor. of 1/4 sec. from which a W. Oak 12 in dia. bears S27 E. 15 miles dist, and w Hick. 78, " " S48 E. 11, "
80.00	Set the traps post on the tree line for the cor. of sec. 31 & 32. S. N. ^o . 6. N.R. N. ^o . 3 N. from which a Gum 6 in dia. bears S84 E. 5 miles dist; and w W. Oak 10, " " S30 N. 19, "

West	On the tree line On the South Boundary of sec. 31. S. N. ^o . 6. N.R. N. ^o . 3 N.
40.00	Set the traps post on the tree line for the cor. of 1/4 sec. from which a W. Oak 12 in dia. bears S75 E. 15 miles dist, and w Hick. 12, " " S80 E. 43, "
81.78	To the cor. of Twp. 5 S. & 6 E. N.R. N. ^o . 3 & 4 N.

West Boundary		N. E. 30' I.
North	On the East Boundary of sec. 30. S. N. ^o . 5 N.R. N. ^o . 4 N.	
40.00	Set a post for the cor. of 1/4 sec. from which a W. Oak 10 in dia. bears S35 E. 11 miles dist; & w Lo. 12, " " S30 N. 16, "	
80.00	Set a post for the cor. of sec. 25 & 34. from which a P. Oak 24 in. dia. bears S15 E. 34 miles dist; & w	long

I. N. 5 T. T. N. 3 N. 2nd Mer. Ind.

Maple 10 in dia. bears S87°E. 24 miles west; and a
Sugarberry; Twin Oak, & Kentucky Berry brushy; thin
Soil &c.

North On the East Boundary of sec. 25. I. N. 5 T. T. N. 4 N.
40.00 Set a post for the cor. of 1/4 sec. from which a
B. Oak 8 in dia. bears S20°N. 20 miles west; & a
Do. 21, " " S83°E. 19 " "
63.50 To a Brook 10 miles wide, Coosa R.
80.00 Set a post for the cor. of sec. 24 & 25 from which a
H. Oak 12 in dia. bears S59°W. 7 miles west; and a
Do. 12, " " S61°E. 30 " "
Sand & soil made timber some as last mile.

North On the East Boundary of sec. 24 I. N. 5 T. T. N. 4 N.
38.75 To a Brook 12 miles wide, Coosa R.
40.00 Set a post for the cor. of 1/4 sec. from which a
Sugar 10 in dia. bears S31°E. 36 miles west; & a
Do. 9, " " S59°W. 20 " "
80.00 Set a post for the cor. of sec. 13 & 24 from which a
Gum 18 in. dia. bears S63°W. 41 miles west; and a
H. Oak 21, " " S16°E. 30 " "
Sand & soil made timber some as last mile.

North On the East Boundary of sec. 13. I. N. 5 T. T. N. 3 N.
40.00 Set a post for the cor. of 1/4 sec. from which a
Poplar 36 in. dia. bears S9°E. 31 miles west; and a
Gum 8, " " N56°E. 13 " "
80.00 Set a post for the cor. of sec. 12 & 13 from which a
H. Oak 10 in. dia. bears N32°E. 5 miles west; and a
Do. 12, " " N47°W. 26 " "
Sand & soil made timber some as last mile.

P. N° 5 A.R. N° 377. 2nd Mer. Ind.

- North Cut East Boundary of sec. 13. I N° 5 A.R. N° 477.
- 2.00 To a Brook 18 miles wide, Comes S.W.
- 6.10 To a Creek 10 miles wide in the line
- 40.00 Set apart for the cor. of 1/4 sec. from which a
B. Oak 30 in. dia. bears N 47 N. 29 miles due; & a
Poplar 20" " " N 26 N. 10" "
- 75.40 To a B. Oak, 12 in. dia. in the line.
- 80.00 Set apart for the cor. of sec. 1. & 1/2 from which a
Dogwood 7 in. dia. bears S 87 N. 50 miles due; & a
Poplar 7" " " N 22 N. 26" .
Sands soil made timber from oak ash wood.

- North Cut East Boundary of sec. 1. I N° 5 A.R. 477.
- 31.00 To a Brook 20 miles wide, Comes S.N.
- 40.00 Set apart for the cor. of 1/4 sec. from which a
Maple 10 in. dia. bears N 43 E. 5 miles due; & a
D.o. 6" " " S 47 E. 7" " ,
- 57.00 To a Brook 12 miles wide, Comes S.E.
- 80.00 Set apart for the cor. of T. N° 5, 5, & C. C. A.R. N°
377 N from which a
B. Oak 20 in. dia. bears East 14 miles due; & a
W. Oak 18" " " S 67 N. 10" "
Sands hilly made timber Oak, & Hickory.

Subdivisions

- North Retown Sub 35 & 36 I N° 5 A.R. N° 377.
- 8.50 To a Brook 10 miles wide, Comes S.E.
- 40.00 Set apart for the cor. of 1/4 sec. from which a
W. Oak 10 in. dia. bears East 5 miles due;
- 42.00 To a W. Oak 18 in. dia. stands in the line
- 80.00 Set apart for the cor. of sec. 25, 26, 35 & 36 from which
Sycamore 10 in. dia. bears N 23 E. 15 miles due; & a
Poplar 24" " " S 34 E. 3" " ,

F. N. 5 M.R. N. 377. 2^m.^o Mar. (See d.)

Lands orning; Limin Oak, Honey & Poplar.

East On a Random line between Sec. 25 & 36. S. N. 5 M.R. 377.
40.00 Set a temp. post on the Random line for 1/4 sec. on.
80.01 Intercept the N. 38 line 12 miles North of the post cor. of
Sec. 25 & 36. Lands same as on the last mile.

West On the true line between Sec. 25 & 36. S. N. 5 M.R. 377.
40.00 Set the temp. post at the ave. dist. on the true line
for the cor. to 1/4 sec. from which a
Beech. 10 in. dia. bears East 12 miles west; to a
W. Oak - " " A 89 N. 38 " "
80.00 To the post cor. of sec. 25, 26. 35, 136

North Between Sec. 25 & 26. S. N. 5 M.R. N. 377.
8.70 To a sugar 12 in. dia. stands within.
40.00 Set a post for the cor. to 1/4 sec. from which a
Beech 12 in. dia. bears N 33 E. 14 miles west; to a
Sugar 8 " " N 67 N. 25 " "
80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which
a Mulberry 10 in. dia. bears N 23 E. 29 miles west; to
Beech. 12. " " N 30 N. 5 " "
Lands same as last mile.

East On a Random line between Sec. 24 & 25. S. N. 5 M.R. 377.
40.00 Set a post for the cor. of 1/4 sec. ~~post~~ on Random
79.90 Intercept the N. 38 line 8 miles South of the post cor.
of Sec. 24 & 25
Lands same as last mile.

West On the true line between Sec. 24 & 25. S. N. 5 M.R. 377.
39.95 Set the temp. post at the ave. dist. on the true line
for the cor. to 1/4 sec. from which a

I. N. 5 N. R. N. 3 T. 2nd Mer. Ind.;

Woods 8 in. dist. bears S 22° W. 29 links dist; and so
Do. 10, " " S 88° W. 59, "
79.90 To the post cor. of sec. 23, 24, 25 & 26.

North Between Sec. 23 & 24. I. N. 5 N. R. N. 3 T. R.
5.00 To a Brook 10 miles aside, Comes West
40.00 Set a post for the cor. of 1/4 sec from which a
Beech 10 in. dist. bears S 43° W. 14 links dist; and so
Do. 10 " " N 88° E. 5 " "
57.50 To a Spring; Comes S. E. from out of cliff of Rock.
80.00 Set a post for the cor. of sec. 13, 14, 23 & 24 from which
a Poplar 10 in. dist. bears S 47° W. 19 links dist; to
W. Oak. 15, " " N 81° E. 24 " "
Same soil and timber same as last mile.

East On a Random line between Sec. 13 & 24. I. N. 5 N. R.
N. 3 T. R. 2nd Mer.
40.00 Set a temporary post for the cor. of 1/4 sec.
80.10 Set a post at the N. S. Range line 8 links North
of the post cor. of sec. 13 & 24.
Same soil and timber same as last mile.

West On the tree line between Sec. 13 & 24. I. N. 5 N.
R. N. 3 T. R.
40.00 Set the temporary post at the tree line
for the cor. to 1/4 sec. from which an
Am. wood 7 in. dist. bears N 88° E. 16 links dist,
a Beech 8, " " S 69° W. 22, "
80.10 To the cor. of sec. 13, 14, 23 & 24.

North Between Sec. 13 & 14. I. N. 5 N. R. N. 3 T. R.
40.00 Set a post for the cor. of 1/4 sec. from which a
W. Oak 13 in. dist. bears N 34° W. 04 links dist.

S. No. 5 M.R. N° 377 2nd Mar. Ind.

- W. Oak 20 m. dist. bears S $\frac{1}{2}$ E. 5 miles west.
 48.00 To a Hickory 10 m. dist. stands in the line.
 80.00 Set a post for the cor. of sec. 11, 12, 13 & 14 from which
 a Poplar. 30 m. dist. bears N $\frac{1}{4}$ W. 13 miles east; to
 B. Oak. 18 " " " N $\frac{1}{4}$ E. 8 " "
 Lands Lamo and timber same as last mile.

- East On a Random line between Sec. 12 & 13. S. N° 5 M.R. 377.
 40.00 Set a temporary post for the cor. of 1/4 sec.
 80.00 Intercept the N $\frac{1}{4}$ line 19 miles south of the post cor.
 of sec. 12 & 13. Lands rolling, timber Oak, Hickory
 and Poplar.

- West On the tree line between Sec. 12 & 13. S. N° 5 M.R. 377.
 40.00 Set the temporary post at the ave. dist. on the tree line
 in the cor. of 1/4 sec. from which a
 Sugar 10 m. dist. bears N $\frac{1}{2}$ E. 10 miles east; to a
 Beech 10 " " " N $\frac{1}{4}$ W. 25 " "
 80.00 To the post cor. of sec. 11, 12, 13 & 14

- North Between Sec. 11 & 12. S. N° 5 M.R. 377. (cont'd)
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Beech 10 m. dist. bears N $\frac{1}{2}$ W. 4 miles east; to a
 Logwood 6 " " " N $\frac{1}{2}$ E. 30 " "
 74.00 To a Brook 10 miles west, bears N.E.
 80.00 Set a post for the cor. of sec. 1, 2, 11 & 12 from which a
 W. Walnut 12 m. dist. bears N $\frac{1}{2}$ E. 13 miles east; to
 Beech. 6 " " " N $\frac{1}{4}$ W. 10 " "
 Lands same as last mile.

- East On a Random line between Sec. 1, 2, 12, 13. S. N° 5 M.R. 377.
 9.50 To a Brook 10 miles west, bears N.E.
 36.00 " same D. 10 " " " S.E.

I. N. 5 T. R. N. 3 Y. 2nd Mar. (Ind.)

- | | |
|-------|--|
| 4.00 | Set a temp. post for the cor. of 1/4 ac. |
| 80.00 | Put to set the N & S line 12 links South of the post
cor. of sec. 1 & 19. Land same as last mile. |

- | | |
|-------|---|
| West | On the true line between Sec. 18 & 19 I. N. 5 T. R. N. 3 Y. |
| 4.00 | Set the temp. post at the avar. dist. in the true line
for the cor. to 1/4 ac. from which a
Bum 20 in. dia. bears S 51 W. 10 links west; to
Buck 10 " " " N 56 W. 13 " " |
| 80.00 | To the post cor. of sec. 1. 2. 11 & 19 |

- | | |
|-------|--|
| North | Between Sec. 12 & 3 I. N. 5 T. R. N. 3 Y. |
| 33.50 | To a Brook 10 links wide, comes S. E. |
| 40.00 | Set a post for the cor. of 1/4 ac. from which a
Hickory 10 in. dia. bears N 57 W. 12 links dist.; to
Lg. 10 " " " N 23 E. 24 " " |
| 80.75 | Set a post on the N. Boundary 15 link East of
the post cor. of sec. 35. 13 & 3. T. R. N. 3 Y. from
which an Elmwood 6 in. dia. bears S 55 W. 10 links dist.
and a Sugar 10 " " " S 47 W. 22 " "
Land slab ends timber same as last mile. |

- | | |
|-------|--|
| North | Between Sec. 34 & 35 I. N. 5 T. R. N. 3 Y. |
| 31.90 | To a Ft. Oak, 20 in. dia. Stands in the line. |
| 40.00 | Set a post for the cor. of 1/4 ac. from which a
Buck 8 in. dia. bears S 5 E. 19 links west; to
Sugar 10 " " " S 73 E. 3 " " |
| 70.50 | To a Brook 30 links wide, comes S. W. |
| 80.00 | Set a post for the cor. of sec. 26, 27. 34 & 35 from which
a Buck. 8 in. dia. bears S 8 W. 14 links west; to
Ft. Oak, 20 " " " N 46 E. 17 " "
Land hilly; timber Oak, Hickory & |

P. W. S. M. R. N. 3 M. 2nd Mar. Ind.

305

East	On a N-S line between Sec. 26 & 35 T. N. 35 M. 34
2.00	To a Brook 30 miles wide, corner E.
4.000	Set a town pt. on post cor. of $\frac{1}{4}$ sec.
8.000	Intersect the N-S line 18 miles South of the Brook cor of sec. 25, 26, 35, 36. Sound same as last mile.

West On the true line between Sec. 26, 135 T. N. 5 M. R. 3 N.
 40.05 Set the trumpet post at the nor. dist. on the true line
 On the cor. of 1/4 sec. from which
 Bench 211 m. dist. bears N 84 E. 2.2 miles west; then
 Ll. a. 12 " " N 15° N. 19 " "
 80.10 To the post cor. of sec. 26, 27, 34 & 35

North	Betwom Sat. 26 & 27 I N. 5 M. N. 3 M.
5.00	To a Brook 40 miles west, Conew Rock G.E.
9.00	" " 12 " " Meek
40.00	Set a post for the cor. of 14 sec. from which a Sugar 10 in. dia. bear \$26 M. 22 miles west; 100 Bush. 10 " " \$2 E. 21 "
80.00	Set a post for the cor. of 2nd 21. 27, 22. 123. From which a Hick. 12 in. dia. bear \$29 E. 15 miles west 100 Bush. 12 " " \$76 E. 24 "
	Sands same as last mile.

East QuaRandom line between Sat. 23 & 26. 1 N. 5 M.R. 3 M.
 40.00 Set a trap 13 feet off the cr. of 1¹/₄ sec.
 50.00 To a Brook 10 miles wide, course S.W.
 81.00 Intersect the Atchison line 10 units North of the first cr.
 of sec. 23, 24, 25 & 26
 Lined same as last mile

West On the true line between S.W. 23126, S. N. 5 M.R. N. 377

P. R. 5 N. M. R. No. 3 W. 2nd Mer. Ind.

- 40.00 Set the temp. post at the cor. dist. on the tree line fr
the cor. to 1/4 sec. from which a
Hickory 10 in. dia. bears S 85° N. 49' back disb; &
Buck. 10 " " A 9° N. 11" "
80.00 To the post cor. of sec. 22, 23, 26, 27,

- North Between Sec. 22 & 23. T. R. 5 M. R. 3 W.
40.00 Set a post for the cor. of 1/4 sec. from which a
Sugar. 10 in. dia. bears S 21° N. 20' back disb; &
B. Oak 20, " " S 5° E. 15" "
52.50 To a Brook 10 miles wide, Corneau S. W.
80.00 Set a post for the cor. of sec. 14, 15, 22 & 23. From which
Snowwood 7 in. dia. bears S 47° E. 36' back disb; &
D. 7. " " N 53° E. 17" "
Same same as last mile; the last named post stands
in a Brook. 12 miles wide, Corneau S. W.

- East On a random line between Sec. 14 & 23. T. R. 5 M. R. 3 W.
40.00 Set a temp. post for the cor. of 1/4 sec.
79.85 Intersect the N. & S. line 13 miles south of the post
cor. of sec. 13, 14, 23 & 24
Same same as last mile.

- West On the tree line between Sec. 14 & 23. T. R. 5 M. R. 3 W.
39.92% Set the temp. post in the tree line at the avor. dist
for the cor. of 1/4 sec. from which a
Dogwood 6 in. dia. bears S 73° E. 45' back disb; &
D. 8 " " N 46° W. 45" "
79.85 To the post cor. of sec. 14, 15, 22, 23.

- North Between Sec. 14 & 15. T. R. 5 M. R. 3 W.
2.00 To a Brook 10 miles wide, Corneau S. E.
7.00 " P. D. 10, " " S. W.

(I. N. S. N. R. N. B. W. and O. & S. (d.))

10.00	To the last named Brook 10 miles west, corner S.E.
20.00	" " " " 10 " " " S.W.
21.50	" " " " 10.10 " " " S.E.
30.00	" " " " 10.10 " " " S.N.
40.00	Set apart for the cor. of 1/4 ac. from which a Sugar 13 in dia. tree stands South 50 links west, and a Buck. 10 " " " S. 34 E. 14 "
80.00	To a logwood 9 in. dia. which stands for the cor. of cor. 10.11.14 & 15 Same as last mile.

East	On a random line between Sec. 11 & 14. I. N. S. N. R. N. B. W.
31.25	To a Brook 13 miles west, corner South.
40.00	Set a temporary post for the cor. of 1/4 ac.
79.80	Also set the N & S line 18 miles south of the post. Cor. of sec. 11. 12. 13 & 14 Same as last mile.

West	On the true line between Sec. 11 & 14 I. N. S. N. R. N. B. W.
39.90	Set the temporary post at the cor. dist. with true line for the cor. to 1/4 ac. from which a Sugar. 9 in dia. bears S. 41 W. 27 south west, to Buck. 20 " " " N. 60 E. 23. "
79.80	To the post cor. of sec. 10. 11. 14. & 15.

North	Between Ls. 10 & 11. I. N. S. N. R. N. B. W.
9.10	To a Poplar. 20 in dia. in the line
40.00	Set a post for the cor. of 1/4 ac. from which a Sugar. 10 in. dia. bears S. 21 E. 44 links south to Buck. 7. " " " N. 15 E. 23. "
66.50	To a M. Oak. 20 in dia. stands in the line
80.00	Set a post in the cor. of sec. 2. 3, 10 & 11 from which a Sugar. 10 in dia. bears S. 20 W. 15 links south to a

V. N. 5 P.R. S. 3 N. 2nd Mer. (Ind.)

Ironwood 8 mi. due bears N 74° E. 9 miles due;
Finds same as last mile.

East On a new line between Sec. 2 & 11 T. N. 5 P.R. N. 3 N.
40.00 Set a trap post for the cor. of 1/4 sec.
79.60 Intersect the N 13° E. line 12 miles South of the post cor.
Sec. 1, 2, 11 & 12
Finds same as last mile.

West On the true line between Sec. 2 & 11 T. N. 5 P.R. N. 3 N.
39.80 Set the trap post at the cor. due on the true line for
the cor. of 1/4 sec. from which a
Poplar 8 mi. due bears N 60° E. 15 miles due; rd
Do 10° " " S 35° E. 20° " "
79.60 To the pattern of Sec. 2, 3, 10 & 11.

North Between Sec. 2 & 3 T. N. 5 P.R. N. 3 N.
8.00 To a Brook 8 miles and comes S. E.
29.95 " " W. Oak 9 in. dia. stands on the line
40.00 Set a post for the cor. of 1/4 sec. from which a
Dogwood 6 in. dia. bears S 15° E. 17 miles due; rd
Do 6° " " N 11° E. 9° " "
81.29 Set a post on the N Boundary 25 miles East of the post
cor. of sec. 34 & 35 T. N. 6 P.R. N. 3 N. from which a
W. Oak 12 in. dia. bears N 47° N. 18 miles due; rd
Do 12° " " N 55° E. 14° " "
Finds same as last mile.

North Between Sec. 33 & 34 T. N. 5 P.R. N. 3 N.
40.00 Set a post for the cor. of 1/4 sec. from which a
Hickory 12 in. dia. bears S 18° N. 58 miles due
81.00 Set a post for the cor. of sec. 27, 28, 33 & 34 from which
a Hickory 10 in. dia. bears N 12° N. 30 miles due; rd

P. N. 5 T. R. N. 3 T. 7. 2nd (Mr. John A.)

B. Oak. 10 m. due. bear S 88° N. 26 links west;
Lands lilly Timb. Oak, Hickory and Poplar &c

- East On a random line between Sec. 27 & 34 T. N. 5 T. R. N. 3 N.
40.00 Set a trumpet post on the cor. of 1/4 sec.
80.00 Intersect the Ad 5 line 18 links North of the post on off
Sec. 26, 27. 34 & 35
Sandstone as last mile.

- West On the true line between Sec. 27 & 34 T. N. 5 T. R. N. 3 N.
40.00 Set the trumpet post at the even. dist. on the true line
on the cor. of 1/4 sec. from which a
B. Oak. 13 m. due. bears N 34 E. 24 links west; & a
Bush 9 " " S 58 N. 34 " "
80.00 To the post on off. Sec. 27, 28. 33. & 34.

- North Between Sec. 27 & 28. T. N. 5 T. R. N. 3 N.
40.00 Set a post on the cor. of 1/4 sec. from which a
Hogwood w. due. bears N 11 E. 41 links west & a
W. Oak. 10 " " S 69 E. 21 " "
80.00 Set a post on the cor. of sec. 21, 22, 27 & 28. from which
W. Oak. 12 m. due. bears N 70 E. 9 links west; & a
Bp. 12 " " S 54 E. 8 " "
Sandstone as last mile.

- East On a random line between Sec. 22, 23, 26 & 27. T. N. 5 T. R. N. 3 N.
31.90 To Spring Brook 5 links west, corner S.
40.00 Set a trumpet post on the cor. of 1/4 sec.
68.00 Intersect the Ad 9 line 8 links North of the post on
off. sec. 22, 23, 26 & 27.
Sandstone as last mile.

S. N. S. T. R. No. 3 W. End (cont'd.)

West On the tree line between Sec. 22 & 23, I. N. S. T. R. N. 3 N.
 40.00 Set the trap. 1 post at the avn. side on the tree line, fr
 the cor. to $\frac{1}{4}$ sec. from which
 Dogwood 6 in. dia. bears N 51 E. 17 links dist; 0 0
 W. Oak 8 " " 88 E. 21 " "
 80.00 To the post cor. of Ls. 21, 22, 27, 28,

North Between Ls. 21, 122, I. N. S. T. R. N. 3 N.
 40.00 Set a post fr the cor. of $\frac{1}{4}$ sec. from which
 Poplar 8 in. dia. bears N 2 E. 50 links dist; 0 0
 W. Oak 9 " " 80 N. 29 " "
 69.00 To a Brook 20 links wide, course S. E.
 80.00 Set a post fr the cor. of Ls. 15, 16, 21, 122 from which
 Sugar 10 in. dia. bears N 17 N. 30 links dist; 0 0
 10.0 " " 87 E. 21 " "
 Same as previous except miles.

East On a random line between Ls. 15, 120, I. N. S. T. R. N. 3 N.
 40.00 Set a trap. 1 post fr the cor. of $\frac{1}{4}$ sec.
 80.00 Intervent the N & S line 8 miles South of the post cor.
 of Ls. 14, 15, 22, 123.
 Same as in the last mile.

West On the tree line between Ls. 15 & 22, I. N. S. T. R. N. 3 N.
 40.00 Set the trap. 1 post at the avn. side on the tree line
 fr the cor. of $\frac{1}{4}$ sec. from which
 B. Oak 20 in. dia. bears N 5 E. 11 links dist; 0 0
 W. Oak 8 " " 53 N. 16 " "
 80.00 To the post cor. of Ls. 15, 16, 21, 22.

North Between Ls. 15 & 16, I. N. S. T. R. N. 3 N.
 18.00 To a Brook 20 links wide, course S. E.
 40.00 Set a post fr the cor. of $\frac{1}{4}$ sec. from which

P.R. 5 T.R. N. 3 T. 2nd Mer. (End.)

- Down 8 in dist. bears N 17 E. 7 miles due; and so
Logwood 7. " " S 25 W. 16 " "
51.00 To a N. Oak 20 in dist. on the line.
80.00 Set a post further cor. of sec. 9. 10. 15 & 16 from which a
Cherry 12 in. dist. bears N 32 W. 43 miles due; so
Sugar. 10 " " S 60 E. 17 " "
Same same as last mil.

- East On a Random line between Sec. 10. 2. 15 & 11. 5 T.R. N. 3 T.
6.00 To a Brook 12 miles wide, Corne South.
40.00 Set a temp. post fur the cor. of 1/4 sec.
79.90 Between the R. & S. line 10 miles North of the post cor. of
sec. 10. 11. 14. & 15.
Same same as last mil.

- West On the true line between Sec. 10 & 15 I. N. 5 T.R. N. 3 T.
39.95 Set the temp. post at the cor. dist. on the true line fro.
the cor. of 1/4 sec. from which a
Logwood 6 in dist. bears S 89 W. 35 miles due; so
Lia. 8 " " N 13 W. 7 " "
79.90 To the post cor. of sec. 9. 10. 15 & 16.

- North Between Sec. 9 & 10 I. N. 5 T.R. N. 3 T.
40.00 Set a post fur the cor. of 1/4 sec. from which a
Hick. 5 mi dist. bears N 17 W. 74 miles due; so
Ironwood 5. " " N 45 E. 12 " "
76.50 To a Brook 18 miles wide, Corne S. E.
80.00 Set a post fur the cor. of sec. 3. 4. 9 & 10 from which a
Willak. 18 in. dist. bears S 87 W. 14 miles due; so
Lia. 10 " " N 42 E. 23 " "
Same rock; Limba Poplar, Ash & so

- East On a Random line between Sec. 3 & 10 I. N. 5 T.R. N. 3 T.

F. N. 5 M.R. N. 3 M. 2nd Man (Ind.)

17.00 To a Brook 20 miles west, corner S.
 40.00 Set a trumpet post at the cor. of $\frac{1}{4}$ ac.
 80.10 Into cut the N.E. line 10 miles south of the post cor.
 of sec. 2. 31041.
 Land & soil and timber same as last mile.

West On the true line between Sec. 3 & 4. T. N. 5 M.R. N. 3 M.
 40.00 Set the trumpet post at the cor. dist. on the true line for
 the cor. of $\frac{1}{4}$ ac. from which a
 sum 8 in. dia. bears S $70^{\circ}E$ 4 miles west; and a
 80.10 To the post cor. of sec. 3. 4. 9 & 10.

North Between Sec. 3 & 4 T. N. 5 M.R. N. 3 M.
 40.00 Set a post further cor. of $\frac{1}{4}$ ac. from which a
 sum 10 in. dia. bears S $45^{\circ}E$. 17 miles west; & a
 Poplar 8, " " S $70^{\circ}N. 8$, " "
 47.00 To a Poplar 20 in. dia. in the line.
 82.50 Into cut the N. Boundary of the post cor. of sec.
 33 & 34 T. N. 6. M.R. N. 3 M.
 Land & soil, Timber Oak, & Hickory.

North Between Sec. 3 & 4 T. N. 5 M.R. N. 3 M.
 40.00 Set a post further cor. of $\frac{1}{4}$ ac. from which a
 Persimmon 10 in. dia. bears S $36^{\circ}E$. 32 miles west; & a
 Beech. 10, " " N $62^{\circ}N. 27$, " "
 80.00 Set a post further cor. of Sec. 28, 29, 32 & 33. from which a
 sugar 10 in. dia. bears S $65^{\circ}N. 27$ miles west; and a
 Red. 9, " " Oak 5, " "
 Land & soil, Timber Oak, & Hickory.

East On a random line between Sec. 28 & 33. T. N. 5 M.R. N. 3 M.
 40.00 Set a trumpet post further cor. of $\frac{1}{4}$ ac.
 52.25 To a Brook 12 miles east, corner E.

P. N. 3 MTR. N. 3 N. 2nd Mon (End.)

8008 Cut out the N. 88 line 12 miles South of the cr. to sec.
27, 28, 33 & 34. Found some select mts.

West On the tree line between Sec. 28 & 33. I. N. 5 MTR. 3 N.
40.04 Set the temp. post at the ave. dist. into the tree line
to the cr. to 1/4 sec. from which a
Buck 10 in dia. bears S 65° E. 17 links dist; and a
Sugar 10, " " N 35° E. 7, " "
8008 To the post cr. of sec. 28, 29, 32 & 33.

North Between Sec. 28 & 29 I. N. 5 MTR. N. 3 N.
21.70 To a N. Oak 24 in dia. in the line.
40.00 Set a post on the cr. of 1/4 sec. from which a
N. Oak. 20 in. dia. bears N 49° E. 8 links dist; and a
Hd. 10, " " S 11 E. 36, " "
46.00 To a Brook. 10 miles nwo, Lemoine E.
80.00 Set a post on the cr. of sec. 20, 21, 28 & 29 from which a
W. Oak. 20 in dia. bears S 15° E. 9 links dist; and a
Q. Oak. 7, " " N 80° E. 17, " "
Found some select mts.

East On a random line between Sec. 21 & 28 I. N. 5 MTR. 3 N.
16.50 To a Brook 8 miles nwo, Lemoine I. E.
40.00 Set a temp. post. On the cr. of 1/4 sec.
80.00 Cut out the N. 88 line 16 miles South of the post cr.
21, 22, 27 & 28. Found first on the timber same.

West On the tree line between Sec. 21 & 28 I. N. 5 MTR. 3 N.
40.00 Set the temp. post at the ave. dist. into the tree line
to the cr. of 1/4 sec. from which a
W. Oak. 12 in dia. bears S 71° E. 11 links dist; and a
Hick 17 in, " " S 46 E. 26, " "
80.00 To the post cr. of sec. 20, 21, 28 & 29.

C. N. S. T. R. N. 3 M. 2nd Mer. Ind.

North	Between Sub. 20 & 21 S. N. 5 T. T. R. M. 3 N.
15.25	To a Brook 10 miles west, leaves East
40.00	Set a post for the cor. of 1/4 sec. from which a Dogwood 6 in. dia. bears \$977.27 10 miles west, 8°
	Basswood 6 " " " 83E. 19 " "
80.00	Set a post further on of Sub. 16 & 17. 20 & 21 from which a W. Oak. 10 in. dia. bears \$811E. 9 miles west; and a Maple. 9 " " " \$2777.23 " "
	Finds same at last mile.

East	On a random line between Sub. 16 & 21 S. N. 5 T. T. R. M. 3 N.
40.00	Set a post for the cor. of 1/4 sec. (trunk)
61.00	To a Brook. 8 miles west, leaves N.
75.00	" " " 20 " " " S.
80.00	Intersect the Atch. line 10 miles South of the post on of Sub 15, 16, 21 & 22. Finds same at last mile.

West	On the true line between Sub. 16 & 21 S. N. 5 T. T. R. M. 3 N.
40.00	Set the trunk post on the true line at the cor. West of the cor. to 1/4 sec. from which a Gum 10 in. dia. bears \$60 E. 13 miles west; 8°
	Poplar 20 " " " \$7177.10 " "
80.00	To the post cor. of Sub. 16, 17, 20, & 21.

North	Between Sub. 16 & 17. S. N. 5 T. T. R. M. 3 N.
40.00	Set a post for the cor. of 1/4 sec. from which a W. Oak. 20 in. dia. bears \$12E. 36 miles west; 8°
	Ld. 20 " " " 13877.27 " "
56.90	To a W. Oak. 19 in. dia. stands on the line.
80.00	Set a post for the cor. of Sub. 8, 9, 16 & 17 from which a W. Oak. 20 in. dia. bears \$3177.13 miles west; 8°
	Ld. 8 " " " 123E. 11 " "
	Finds same at the last mile.

S. N. 5 M.R. N. 3 W. 2nd Mer. Ind.

East On a random line between Sec. 9. & 16. I. N. 5 M.R. N. 3 W.
 40.00 Set a trapst post at the cor. of $\frac{1}{4}$ sec.
 47.00 To a Brook 8 miles west, corner S.E.
 49.00 To a Spring Brook 6 miles west, corner S.
 80.00 Interset the N.E. 8th line 20 miles of the post cor. of sec.
 9. 10. 15. & 16. Sand soil and timber same as last mile.

West On the true line between Sec. 9. & 16. I. N. 5 M.R. N. 3 W.
 40.00 Set the trapst post at the avn. dist. on the true line
 further cor. of $\frac{1}{4}$ sec. from which a
 #2 Oak, 24 in. diam. bears N 75 E. 18 miles west; and a
 Gum 10 " " N 34 W. 28 " "
 80.00 To the post cor. of Sec. 8. 9. 16. & 17.

North Between Sec. 8 & 9. I. N. 5 M.R. N. 3 W.
 40.00 Set a post fur the cor. of $\frac{1}{4}$ sec. from which a
 W. Oak, 10 in diam. bears S 31 E. 40 miles west; and a
 Llo. 18 " " West 19. "
 80.00 Set a post fur the cor. of sec. 4. 5. 8. & 9 from which a
 W. Oak, 10 in. diam. bears N 18 E. 27 miles west; and a
 Llo. 12, " " N 14 W. 14, " "
 Same as last mile.

East On a random line between Sec. 9 & 16. I. N. 5 M.R. N. 3 W.
 40.00 Set a trapst post fur the cor. of $\frac{1}{4}$ sec.
 75.00 To a Brook, 10 miles west, corner S.W.
 80.00 Interset the N.E. 8th line 10 miles south of the post cor. of
 Sec. 3 & 9 & 11
 Sand soil and timber same as last mile.

West On the true line between Sec. 4 & 9. I. N. 5 M.R. N. 3 W.
 40.00 Set the trapst post at the avn. dist. on the true line for
 the cor. to $\frac{1}{4}$ sec. from which a

I. N. 5 M.R. N. 3 W. 2nd Mar. (Ind.)

June 8 in dirt bears S86 E. 29 links dist; and a
Dogwood C., " " S57 E. 20 " "
80.00 To the post for the cor. of sec. 4, 5, 8 & 9.

North Between Lot 425, I. N. 5 M.R. N. 3 W.
40.00 Set a post further cor. of $\frac{1}{4}$ ac. from which a
W. Oak, 13 in. dia. bears S. 76 E. 30 links dist; to
Ld. 12, " " N46 E. 31 " "
82.21 Intersect the N. Boundary of the post cor. of sec.
32, 133. I. N. 6 M.R. N. 3 W.
Lands flat and timber scarce at last mil.

North Between Ld. 31, 132 I. N. 5 M.R. N. 3 W.
40.00 Set a post further cor. of $\frac{1}{4}$ ac. from which a
W. Oak 20 in. dia. bears S20 E. 30 links dist.
81.00 Set a post for the cor. of sec. 29, 30, 31, 132 from which a
Gum, 12 in. dia. bears N. 26 E. 39 links dist; to
Dogwood C., " " N22 W. 5 " "
Lands very hilly; Soil very thin & brushy

East On a random line between Ld. 29, 30, 31, I. N. 5 M.R. N. 3 W.
40.00 Set a post for the cor. of $\frac{1}{4}$ ac. (at temp.)
64.00 To a Brook, 12 links wide, corner S.
79.80 Intersect the N.E. line 8 links south of the post cor. of
Ld. 28, 29, 32, 133. Lands same as last mil.

West On a true line between Ld. 29, 32 I. N. 5 M.R. N. 3 W.
39.90 Set the temp. of post at the over side on the true line for
the cor. to $\frac{1}{4}$ ac. from which a
W. Oak, 18 in. dia. bears S13 E. 26 links dist; to
Ld. 12, " " S82 W. 40, " "
79.80 To the post cor. of sec. 29, 30, 31, 132, I. N. 5 M.R. N. 3 W.

I. N° 5 MR. N° 3 YR. 2nd Mar. India

North	Between Sub. 29 & 30. I. N° 5 MR. N° 3 YR.
10.00	To a Brush thicket
40.00	Set a post for the cor. of 1/4 ac. in the thicket
50.00	To the North side of thicket
80.00	Set a post for the cor. of sub. 19. 20. 29 & 30 from which a W. Oak 30 m. dist bears N 86° 17'. 10 mts dist; and a Poplar 7" " S 17° E. 12" " Same the same as last mil.
East	On a Random line between Sub. 20 & 29 I. N° 5 MR. N° 3 YR.
79.95	Set a post for the cor. of sub. 20 & 29 10 mts dist of the post cor. of Sub. 20, 21. 28 & 29 Same the same as last mil.
West	On a Random line between Sub. 20 & 29 I. N° 5 MR. N° 3 YR.
39.97 1/2	Set the tempt post at the arr. dist. on the line from which a Maple 7' 10" m. dist bears S 83° 17'. 43 mts dist; and a Lignum 7" " N 53° E. 35" "
79.95	To the post cor. of sub. 19. 20. 29 & 30.
North	Between Sub. 19. & 20. I. N° 5 MR. N° 3 YR.
40.00	Set a post for the cor. of 1/4 ac. from which a W. Oak 10 m. dist bears N 10° E. 32' mts dist; and a Lil. 18" " N 71° W. 11" "
53.00	To a Brook 10 mts mil., same West
72.00	" " W. Oak 20 m. dist. in the line.
80.00	Set a post for the cor. of Sub. 17. 18. 19. & 20. from which a Sugar. 13 m. dist. bear S 58° E. 2 mts dist; and a Lil. 9" " S 66° W. 5" "
	Same the same as last mil.
East	On a Random line between Sub. 17 & 20 I. N° 5 MR. N° 3 YR.
40.00	Set a tempt post for the cor. of 1/4 ac.

P. N. 5 N. R. N. 3 W. 2nd Mer. Secd.

80.00 Intercept the N.E.S line 18 miles South of the first cor. of sec. 16, 17, 21, & 22.

Sand soil and timber same as last mile

West On the two line between sec. 17 & 21. T. N. 5 N. R. N. 3 T. T.

40.00 Set the tempt. post at the ave. dist. on the two lines for the cor. of $\frac{1}{4}$ sec. from which

W. Oak. 12 in. diam. bears 410 ft. 15 miles dist; to

B. Oak. 20 " " 875 ft. 11 " "

80.00 To the post on the line between sec. 17, 18, 19 & 20

North Between sec. 17, 18 & 19 T. N. 5 N. R. N. 3 T. T.

7.50 To a Brook. 10 miles mid. corner N. T.

40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
Juniper 20 in. diam. bears 407 ft. 68 miles dist; and a
Hickory 20 " " N69°E. 67 " "

60.811 To a Poplar. 18 in. diam. in the line.

80.00 Set a post for the cor. of sec. 7, 8, 17 & 18 from which a
W. Oak. 20 in. diam. bears 878 ft. 39 miles dist; and a

B. Oak. 9 " " N69°E. 9 " "

Sand hills and Brushy timber Oak & Hickory.

East On all random line between sec. 8 & 17 T. N. 5 N. R. N. 3 T. T.

40.00 Set a tempt. post for the cor. of $\frac{1}{4}$ sec.

80.00 Intercept the N.E.S line 12 miles South of the first cor. of sec. 8, 9, 16, & 17

Sand soil and timber same as on the last mile

West On the two line between sec. 8, 17 T. N. 5 N. R. N. 3 T. T.

40.00 Set the tempt. post at the ave. dist. on the two lines for the cor. of $\frac{1}{4}$ sec. from which a

Hagwood. 6 in. diam. bears 9.50 ft. 32 miles dist; to

Juniper 10 " " N31°W. 27 " "

I. N.° 5 N. R. N.° 3 W. 2nd Mer. Land.

80.00	Set the post on cor. of sec. 7. 8. 17. 618
North	Between Sec. 5 & 8 I. N.° 5 N. R. N.° 3 W.
40.00	Set a post for the cor. of 1/4 sec. from which a Yew 6 in. diam. bears N 11° E. 6 miles distant to a Dogwood 6 " " 1485 ft. 28 "
56.50	To a Brook 12 miles n.w. Custer Mts.
80.00	Set a post for the cor. of sec. 5, 6, 7 & 8 from which a Hawthorn 18 in. diam. bears N 48° E. 180 links dist; and a B. Oak. 8 " " 220 ft. 45 "
	Sands soil and timber same as last mile
East	On a random line between Sec. 5 & 8 I. N.° 5 N. R. N.° 3 W.
40.00	Set a temporary post for the cor. of 1/4 sec.
79.80	Ante set the N.E. line 18 miles North of the post cor. of sec. 4, 5, 8 & 9 Sands soil and timber same as last mile.
West	On the true line between Sec. 5 & 8 I. N.° 5 N. R. N.° 3 W.
39.90	Set the temporary post at the cor. dist on the true line for the cor. of 1/4 sec. from which a B. Oak 10 in. diam. bears. N 53° W. 13 miles dist; & a Ld. 9 " " 669 ft. 21 "
79.80	To the post cor. of sec. 5, 6, 7 & 8.
North	Between Sec. 5 & 6. I. N.° 5 N. R. N.° 3 W.
40.00	Set a post for the cor. of 1/4 sec. for a bush track in Soil thin, sandy hills
58.00	To a Brook 10 miles n.w. Custer Mts.
81.50	Set a post on the N Boundary 4.5 miles East of the opposite set for the cor. of sec. 3 & 13 I. N.° 6 N. R. N.° 3 W. from which a B. Oak 12 in. diam. bears. N 75° E. 13 miles and a Yew 8 " " 667 ft. 18 "

P. N. & P. R. R. Co. D. M. Ind.

Land for and timber from last mile.

- West Return Sat. 6.17 I. N. 5 N. R. N. 3 N.
27.80 To a W. Oak 12 in. dia. in the line
40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
W. Oak 15 in. dia. bears N 58 E. 39 links dist; to
Llo. 18 " " N 18 N 35 " "
82.74 Set a post on the West Boundary (76 links South of
the post cor. of sec. 12 1/2. I. N. 5 N. R. N. 4 N.) for the
cor. of sec. 6.17 from which a
W. Oak. 12 in dia. bears S 73 E. 30 links dist; and a
Dogwood 7 " " N 4 N. 25 " "
Land rolling; timber Oak, Hickory

- West Return Sat. 7.18 I. N. 5 N. R. N. 3 N.
40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
W. Oak. 16 in. dia. bears S 76 N. 34 links dist; and a
Llo. 18 " " S 4 N. 55 " "
83.07 Set a post on the West Boundary (50 links South of
the post cor. of sec. 12 1/2. I. N. 5 N. R. N. 4 N.) for the
cor. of sec. 7.18 from which a
W. Oak. " " dia. bears N 60 E. 28 links dist; to
Yew 8 " " S 39 E. 35 " "

- West Return Sat. 18 & 19. I. N. 5 N. R. N. 3 N.
26.60 To a W. Oak. 24 in dia. bears in the line
40.00 Set a post for the cor. of $\frac{1}{4}$ ac. from which a
Sugar. 10 in. dia. bears S 67 E. 27 links dist; to
Llo. 10 " " S 58 N. 15 " "
60.00 To a Brook 10 links wide, come S. N.
83.89 Set a post on the West Boundary (48 links South of
the post cor. of sec. 13 & 24 I. N. 5 N. R. N. 4 N.) for
the cor. of sec. 18 & 19 from which a

S. N. 5 T. R. N. 3 W. 2nd Mer. Indiana

Gum 15 mi. dist. bears N 56° W. 48 links dist; and a
Sugar. 10 " " S 36° W. 52 " "

Post Return Sat 19 & 30 S. N. 5 T. R. N. 3 W.
28.00 To a Brook 10 links aside, Course N.
40.00 Set a post on the cor. of $\frac{1}{4}$ ac. from which a
W. Oak 18 mi. dist. bears N 8 E. 5 links dist; & a
Lm. 8 " " N 73 W. 31 " "
84.55 Set a post on the West Boundary, (20 miles south of
the post cor. of sec. 24 & 25 S. N. 5 T. R. N. 4 W.) from
the cor. of sec. 19 & 30. from which a
W. Oak 6 mi. dist. bears S 17 E. 22 links dist; and a
W. Oak. 12 " " S 7 W. 37 " "
Lands hilly and bushy. Some Oak, & Hickory

Post Return Sat 30 & 31. S. N. 5 T. R. N. 3 W.
40.00 Set a post on the cor. of $\frac{1}{4}$ ac. from which a
W. Oak. 10 mi. dist. bears N 80 E. 40 links dist; & a
Lm. 24 " " South 32 " "
85.42 To the cor. of sec. 25 & 36. S. N. 5 T. R. N. 4 W.
Lands very bushy;

Surveyed by
Arthur Henrie A.S.

I certify that the foregoing transcript of the
first notes of Township N. 5 North of Range N. 3
West 2nd Mer. Indiana, has been compared with
the original notes in this Office, and found to be
correct.

Surveyor General's Office
Cincinnati, Dec. 14. 1840 Q. S. LeQuire —

Sec. Genl. —